

ANELLI

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama
F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)

H	L	Ø
---	---	---

3A F 101	3.0	0.8
3A F 102	4.0	0.8
3A F 103	4.0	1.0
3A F 104	5.0	1.0
3A F 105	5.0	1.2
3A F 106	5.0	1.5
3A F 107	6.0	1.0
3A F 108	6.0	1.2
3A F 109	6.0	1.5
3A F 110	8.0	1.0
3A F 111	8.0	1.2
3A F 112	8.0	1.5
3A F 113	8.0	2.0
3A F 140	8.0	3.0
3A F 114	10.0	1.2
3A F 115	10.0	1.5
3A F 116	10.0	2.0
3A F 141	10.0	3.0
3A F 143	10.0	4.0

ANELLI

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama

F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)

H L filo

3A F 117	12.0	1.2
3A F 118	12.0	1.5
3A F 119	12.0	2.0
3A F 142	12.0	3.0
3A F 120	14.0	2.5
3A F 144	14.0	3.0
3A F 121	15.0	2.0
3A F 122	16.0	2.5
3A F 123	18.0	2.5
3A F 124	20.0	2.5
3A F 148	20.0	5.0
3A F 125	20.0	4.0
3A F 129	22.0	2.0
3A F 126	25.0	4.0
3A F 127	30.0	4.0
3A F 149	30.0	5.0
3A F 128	40.0	5.0
3A F 130	24.0	2.0
3A F 131	26.0	2.0
3A F 151	35.0	4.8
3A F 146	40.0	6.0



3A F 160	25.0	6.0
3A F 136	30.0	3.5
3A F 138	30.0	4.0
3A F 147	63.0	5.0

ANELLI IN ZAMA

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama

F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)

H	L	Ø
---	---	---

3A Z 401	25.0	q 5.5
-----------------	------	-------

3A Z 402	30.0	q 5.5
-----------------	------	-------

3A Z 403	35.0	q 5.5
-----------------	------	-------



3A Z 404	20.0	5.0
-----------------	------	-----

3A Z 405	25.0	5.0
-----------------	------	-----

3A Z 406	30.0	5.0
-----------------	------	-----


3A Z 407	35.0	5.0
-----------------	------	-----

3A Z 408	40.0	6.0
-----------------	------	-----

ANELLI APRIBILI

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama

F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)

H	L	filo
---	---	------

3D	F 101	20.0	2.2
3D	F 102	25.0	2.7
3D	F 103	32.0	2.7
3D	F 104	40.0	3.0
3D	F 105	50.0	3.0
3D	F 106	60.0	3.0
3A	F 108	80.0	4.0