

COBRA

F = Ferro A = Alluminio O = Ottone * = Saldata
F = Iron A = Aluminium O = Brass * = Welded

O 803



ø filo 0.35 mm

O 182



ø filo 0.60 mm

O 183



ø filo 0.80 mm

O 184



ø filo 1.00 mm

O 227



ø filo 1.20 mm

O 185



ø filo 1.40 mm

O 226



ø filo 1.60 mm

O 225



ø filo 1.80 mm

O 224



ø filo 2.00 mm

O 417



ø filo 3.50 mm

COBRA diamantata

F = Ferro **A** = Alluminio **O** = Ottone ***** = Saldata

F = Iron **A** = Aluminium **O** = Brass ***** = Welded

O 360



ø filo 0.30 mm

O 361



ø filo 0.40 mm

O 362



ø filo 0.50 mm

O 363



ø filo 0.60 mm










O 364



ø filo 0.80 mm

CODA DI VOLPE

F = Ferro A = Alluminio O = Ottone * = Saldata
F = Iron A = Aluminium O = Brass * = Welded

O 229		quadra 1.20 mm
O 230		quadra 1.50 mm
O 215		quadra 2.00 mm
O 231		quadra 2.40 mm
O 212		quadra 2.80 mm
O 211		quadra 3.20 mm
O 584		quadra 5.00 mm
O 991		quadra 6.00 mm liscia
O 585		quadra 6.00 mm

CODA DI VOLPE

F = Ferro A = Alluminio O = Ottone * = Saldata
F = Iron A = Aluminium O = Brass * = Welded

O 684



7.00 x 4.00 mm

O 685



8.00 x 4.00 mm

O 213



piatta
500 mm

O 232



piatta
6.00 mm

O 233



piatta
7.40 mm

O 218



ritorta
2.30 mm

O 217



ritorta
3.00 mm

O 216



ritorta
4.00 mm

O 764



ritorta
6.20 mm

O 992



ritorta
8.00 mm